

Space Storage

Design | TreCe



Doors with seamless fronts in MDF as standard, choose your preferred NCS color after taste and preferences. The frames are also available in any NCS color. Choose between different frame and door heights.

Doors are available with cabinet locks (incl. 2 keys), padlock fittings (excl. padlock) or RFID locks. Doors are also available with mail-inlets. As accessories, there are movable shelves, clothes rail, mirror, hooks, carpets, the cork box Stuff and the bag Office.

Complete the look with cover panels and worktops, perfect for modules placed back to back.

Space Storage

Frame and front: 16 mm.

Plinth height: 143 mm.

All doors are right-hung as standard.


NCS refers to product lacquered in one optional NCS color.




Finished modules – model double incl. cabinet locks

Inside dimensions/locker: Space door/locker low 363x424x454 mm. **Inside dimensions/locker:** Space door/locker high 363x864x454 mm.


Cabinet locks included in the finished modules, incl. 2 keys. **Frame, plinth, back and divider** in white MFC laminate, 16 mm with 0,8 mm straight ABS-lipping. **Fronts** in 16 mm MDF, NCS S 0500-N, white.




Space 1




Space 2




Space 3



Space 4



Space 5



Space 6

Name, finished modules

Name, finished modules	Size	White
Space 1 double low, 4 door low	790x1039x470	208111
Space 2 double low, 2 door high	790x1039x470	208112
Space 3 double middle, 6 door low	790x1487x470	208113
Space 4 double middle, 2 door low + 2 door high	790x1487x470	208114
Space 5 double high, 8 door low	790x1936x470	208115
Space 6 double high, 4 door high	790x1936x470	208116

Space Storage

Frame and front: 16 mm.


Plinth height: 143 mm.

All doors are right-hung as standard.

NCS refers to product lacquered in one optional NCS color.

Finished modules – model single incl. cabinet lock


Inside dimensions/locker: Space door/locker low 363x424x454 mm. **Inside dimensions/locker:** Space door/locker high 363x864x454 mm. **Cabinet** locks included in the finished modules, incl. 2 keys. **Frame, plinth, back and divider** in white MFC laminate, 16 mm with 0,8 mm straight ABS-lipping. **Fronts** in 16 mm MDF, NCS S 0500-N, white.



Name, finished modules

Name, finished modules	Size	White
Space 7 single low, 2 door low	395x1039x470	208117
Space 8 single low, 1 door high	395x1039x470	208118
Space 9 single middle, 3 door low	395x1487x470	208119
Space 10 single middle, 1 door low+1 door high	395x1487x470	208120
Space 11 single high, 4 door low	395x1936x470	208121
Space 12 single high, 2 door high	395x1936x470	208122

Space Combinations



Space Storage

Frame and front: 16 mm.

Plinth height: 143 mm.

All doors are right-hung as standard.

NCS refers to product lacquered in one optional NCS color.

Frames

Name	Size	White	NCS
Space Frame single low	395x1039x470	201108	201118
Space Frame single middle	395x1487x470	201109	201119
Space Frame single high	395x1936x470	201110	201120
Space Frame double low	790x1039x470	201111	201121
Space Frame double middle	790x1487x470	201112	201122
Space Frame double high	790x1936x470	201113	201123
Space Frame wardrobe	790x1936x470	204110	204120

Incl. plinth, excluding fixed and movable shelves. Double incl. divider.

White: MFC laminate. **NCS:** Lacquer any NCS. Clothes rail included in Space frame wardrobe, double doors ordered separately.

Shelves

Name	Size	White	NCS
Space shelf single fixed	363x16x451	205009	205019
Space shelf single moveable*	363x16x385	205010	205020
Space shelf double fixed	371x16x451	205011	205021
Space shelf double moveable*	371x16x385	205012	205022
Space shelf wardrobe, fixed	755x19x451	205031	205041

*Indrawn front.

White: MFC laminate. **NCS:** Lacquer any NCS.

Drawer/Hatch*

Name	Size	NCS
Space drawer, 100% expansion, 35 kg, RFID** (drawer with high sides)	392*446*450	208060
Space drawer, 100% expansion, 35 kg, RFID** (Drawer with low sides)	392*446*450	208061
Space hatch door wardrobe, opens downwards (milled-in handles, Gas spring)	788*296*16	204071

*Aligned with fronts. **RFID locks will be added separately.

NCS: Lacquered MDF, any NCS.

Shoe shelf*

Name	Size	NCS
Space open shoe shelf, single	395x232x487	207092
Space open shoe shelf, double	790x232x487	207091

*Aligned with fronts.

NCS: Lacquered MDF, any NCS.

Storage box open/Flower box*

Name	Size	NCS
Space storage box open single, back to back	395x232x976	209092
Space storage box open double	790x232x487	209091

*Aligned with fronts. The unit is not water resistant.

NCS: Lacquered MDF, any NCS.

Contact TreCe if you want numbering on doors.

Doors

Name	Size	NCS
Space door low, cabinet lock	393x446	202121
Space door low, RFID*	393x446	202122
Space door low, lock+mail	393x446	202123
Space door low, padlock fitting*	393x446	202124
Space door low, RFID+mail*	393x446	202125
Space door low, push-out	393x446	202126
Space door high, cabinet lock	393x894	203121
Space door high, RFID*	393x894	203122
Space door high, lock+mail	393x894	203123
Space door high, padlock fitting*	393x894	203124
Space door high, RFID+mail*	393x894	203125
Space door high, push-out	393x894	203126

*Padlocks and RFID locks are ordered separately

NCS: Lacquered MDF, any NCS

Doors wardrobes

Name	Size	NCS
Space door wardrobe low, cabinet lock	393x1342	204061
Space door wardrobe low, RFID excl. lock*	393x1342	204062
Space door wardrobe low, cabinet lock +mail	393x1342	204063
Space door wardrobe low, padlock fitting*	393x1342	204064
Space door wardrobe low, RFID excl. lock +mail*	393x1342	204065
Space door wardrobe low, push-out	393x1342	204066
Space door wardrobe high, cabinet lock	393x1790	204051
Space door wardrobe high, RFID excl. lock*	393x1790	204052
Space door wardrobe high, padlock fitting*	393x1790	204054
Space door wardrobe high, push-out	393x1790	204056
Space double doors wardrobes, milled-in handles	786x1790	204140

*Padlocks and RFID locks are ordered separately

NCS: Lacquered MDF, any NCS

Open shelf/bench*

Name	Size	NCS
Space open shelf/bench, single	395x298x487	208092
Space open shelf/bench, double	790x298x487	208091

Cushions and fabric are ordered separately, contact TreCe.

Space shelf moveable, single	363x16x469	205052
Space shelf moveable, double	758x16x469	205051

*Aligned with fronts..

NCS: Lacquered MDF, any NCS.

Seat height 441 mm, incl. plinth

Plinth

Name	Size	White	NCS
Space plinth, single	395x143x430	208072	208082
Space plinth, double	790x143x430	208071	208081

White: MFC laminate. **NCS:** Lacquer any NCS.

Space Storage

Frame and front: 16 mm.

Plinth height: 143 mm.

All doors are right-hung as standard.

NCS refers to product lacquered in one optional NCS color.

Cover panels

Name	Size	NCS
Space cover panel single, low	490x1046	206021
Space cover panel single, middle	490x1494	206022
Space cover panel single, high	490x1942	206023
Space cover panel double, low*	980x1046	206521
Space cover panel double, middle*	980x1494	206522
Space cover panel double, high*	980x1942	206523

* When placing modules back to back.

NCS: Lacquered MDF, any NCS.

Thickness: 16 mm.

Top cover

Name	Size	NCS
Space top cover panel single	490	207021
Space top cover panel double*	980	207022

* When placing modules back to back.

NCS: Lacquered MDF, any NCS.

Thickness: 16 mm.



790x1936x470 Seat height: 441 mm excl. cushion



790x1487x470 Interior dimensions: 363x1312x454



790x1271x470

Seat module with hatch door

Name	Art nr
Space Frame wardrobe	204110
Space hatch door wardrobe, opens down	204071
Space shelf wardrobe, fixed	205031

Cushions and fabric are added, contact TreCe.



790x1271x470

Personal wardrobe

Name	Art nr
Space Frame wardrobe	201112
Space door wardrobe low, RFID excl. lock (x2)	204062
Space shelf double moveable (x2)	205012
Anchor hook (x2)	830899

RFID-locks are added, contact TreCe.



790x441x487 (excl. cushion)

Personal locker + flower box

Name	Art nr
Space 2 low, 2 door high	208112
Space storage box open double	209091

RFID-locks are added, contact TreCe.



2765x1055x470

Personal storage + shoe shelf

Name	Art nr
Space 1 low, 4 door low	208111
Space open shoe shelf, double	207091

RFID-locks are added, contact TreCe.

Bench

Name	Art nr
Space open shelf/bench, double	208091
Space shelf moveable, double	205051
Space plinth, double	208071

Cushions and fabric are added, contact TreCe.

Personal lockers + top cover

Name	Art nr
Space 1 low, 4 door low (x3)	208111
Space 7 single low, 2 door low (x1)	208117
Space top cover single	207021

RFID-locks are added, contact TreCe.

Space Storage with power outlet

Frame and front: 16 mm.

Plinth height: 143 mm.

All doors are right-hung as standard.

NCS refers to product lacquered in one optional NCS color.

Space Storage with power outlet

Personal storage with integrated electricity offers well-needed functionality in everyday life. Charge your mobile phone or computer securely in a locked compartment, ideal for the activity-based office, public places or schools.



Power strips with sockets are customized for Space. Complete with movable shelves to store for example a computer.

Frames prepared for power strip fittings

Name	Size	White	NCS
Space Frame single middle, power	395x1487x470	205509	205519
Space Frame single high, power	395x1936x470	205510	205520
Space Frame double middle, power	790x1487x470	205512	205522
Space Frame double high, power	790x1936x470	205513	205523

Thickness: 16 mm

White: MFC laminate. **NCS:** Lacquer any NCS.

Shelves

Name	Size	White	NCS
Space shelf single fixed, power	363x451	205109	205119
Space shelf single moveable, power	363x385	205110	205120
Space shelf double fixed, power	371x451	205111	205121
Space shelf double moveable, power	371x385	205112	205122

Thickness: 16 mm

White: MFC laminate. **NCS:** Lacquer any NCS.

Top cover

Name	Size	NCS
Space top cover single, power	490	207023
Space top cover double, power*	980	207024

*When placing modules back to back.

Thickness 28 mm, fits middle frames and conceals cabling.

NCS: Lacquered MDF any NCS.

16 lockers with power sockets, in any NCS Example

Name	Art nr
Space Frame double high, power (x2)	205523
Space shelf double fixed, power (x12)	205121
Space door low, cabinet lock (x16)	202121
Space power strip, 4 sockets (x4)	208052
Space power cable with connection (x2)	208040
Space cover strip single, power (x2)	208032


Top cover, socket strip

Name	Size	NCS
Space cover strip single, power	72	208032
Space cover strip double, power*	144	208034

*When placing modules back to back.

Cover strip, fits high frames, thickness 28 mm.

NCS: Lacquered MDF any NCS.



Power strip with sockets

Name	Size	Fits	Art nr
Space power strip, 2 sockets	1795	height 1936 mm, 2 doors high	208050
Space power strip, 3 sockets	1345	height 1487 mm, 3 doors high	208051
Space power strip, 4 sockets	1795	height 1936 mm, 4 doors high	208052

In addition, a USB port with 2 sockets can also be mounted.

Power strip with sockets 45x56, Alu look (Max 300 w per socket)

Power strip with sockets

Name	Size	Info	Art nr
Space power cable with connection	2.5 m	220 volt/ 2400 Watt Max 8 sockets per cable	208040
Space extension cable, quick connection	410 mm	Mounted between every power strip with sockets	208041
Space T-coupling, quick		1 per power strip	208042



Stuff cork box and shelf keeps smaller items in order.



Padlock fittings, excl. padlocks.



Cabinet lock incl. 2 keys as standard.



RFID-locks EM or Mifare.



Storage compartment fitted with clothes rail, clothes hook and carpet. Carpet in narrow grooved black rubber, 3 mm.



Anchor hook, fixed above panel.



Code lock/personal storage.

Accessories

Name	Material	Size	Art nr
Space single clothes rail	Aluminum	356	209009
Space double clothes rail	Aluminum	371	209010
Hook, for clothes rail	Alu look		830006
Anchor hook, fixed above panel	Alu look		830899
Stuff cork box	Cork	90x44x347	890101
Stuff shelf cork box	White aluminum	97x80x350	890201
Space single carpet	Black rubber	362x454	209026
Space single carpet shoe shelf	Black rubber	363x475	209023
Space single carpet open drawer	Black rubber	363x944	209025
Space double carpet	Black rubber	370x454	209027
Space double carpet wardrobe	Black rubber	757x454	209028
Space double carpet shoe shelf	Black rubber	758x475	209022
Space double carpet open drawer	Black rubber	773x455	209024

Master key

Name	Lock type	Art nr
Master key	Cabinet locks	840913

Alternative locks, addition

Name	Info	Art nr
Padlock fitting	Black (padlock not incl.)	830915
Combination lock	Black, for personal storage	
RFID-lock	For personal/public storage	
Coin lock		

Space

MFC laminated surfaces within Space have a chip core, with the exception of some shelves. Back, frame and edging strip have matching colors unless otherwise stated.

Fronts, Shoe shelf, Open shelf/Bench and Storage box open/Flower box have an MDF core. Textiles at an additional cost.

Frame incl. plinth

Thickness 16 mm, 0.8 mm straight ABS-lipping.

- MFC laminate, white.
- Lacquered, any NCS-color.

Back

Thickness 16 mm, MFC laminate in- and out. Lacquered when choosing any NCS-color.

Plinth

Each unit has its own setback plinth, front and rear, with 4 adjustable feet, (Plinth height 143 mm.)

Fronts

Seamless fronts, thickness 16 mm

- Lacquered MDF, any NCS color.

Drawers

Drawers have soft closing. Extension capacity of 100%, maximum weight 35 kg.

- Drawers with railings or with elevated sides.

Seat module with hatch door

Opens downwards with gas spring.

- Milled-in handle

Shoe shelf, Open shelf/Bench and Storage box open/Flower box

Thickness 16 mm.

- Lacquered MDF, any NCS color.
- Modules aligned with fronts.

Double doors Wardrobes

With milled-in handles.

Mail inlet

Powder-coated steel, White (RAL 9010). Opening 290x20 mm.

Mail inlet has an angled steel lip on the inside of the door.

Hinges

- Self closing concealed hinges with integrated soft closing.
- Doors are right-hung as standard.

Shelves, fixed

Shelves mounted with milled-in connection fittings that are secured with screws.

- Shelves for lockers have a chip core
- Shelves for wardrobes have a lamellar wood core.

Shelves, movable

Shelves are short-end in the front. Mounted with connection fittings, adjustable by drill division of c/c 32 mm.

Cover panels/Top covers panels

Thickness 16 mm.

- Lacquered MDF, any NCS color.

Top cover, socket strip:

Thickness 28 mm

- Lacquered MDF, any NCS color.

Accessories

Clothes rail, carpet, clothes hook, anchor hook, mirror and cork box Stuff.

Lock types

Cabinets locks, padlock fittings, code locks, RFID-locks (EM & Mifare) and push-to-open.

General info

Mounting

All modules are factory mounted Worktops/Cover panels/Top covers are mounted on site.

Warranty

We provide a 5 year factory warranty on Space. Other products, contact TreCe.

Cabinet locks

Robust cabinet locks with master key system, individual nr. with 2 keys as standard. Identical locks available to addition

Contact TreCe for customization of selected product.

Sustainability

Space



Quick info.

Content	Certification TreCe	Certification TreCe
Environment, quality & social aspects	ISO 9001:2015	ISO 14001:2015
Country of manufacture	Certification product	Approved user environments
Sweden	Möbelfakta	Offices, public spaces & schools

Wood

Particle boards and MDF meet the requirements regarding wood, see Table 1. No wood-based materials are used that origin from forest environments with high biological or social values. TreCe has ensured traceability of wood-based materials, and that the materials origins from documented and legal forestries.

Table 1: Requirements wood

Requirements	Complies
The wood in the product is traceable and come from legal forestries.	X
The wood complies with the requirements for formaldehyde emission requirements according to E1.	X

Metal

Fittings such as hinges, screws and handles for-fill the requirements in Table 2.

Table 2: Requirements metal

Requirements	Complies
Surface treatment must not contain lead or cadmium	X
Aromatic hydrocarbons are not actively added and should not be included in preparations / formulations according to REACH Appendix XVII and KIFS 2005:7.	X
Furniture/products should not be surface treated with products/formulations that are labeled as dangerous according to KIFS 2005:7, CLP 1272/2008 or Regulation 790/2009.	X
The product must not have active addition of or have passivation of metal surfaces with chromium VI. The exception are small fitting corresponding to <5% by weight, for example hinges or fittings.	X

Plastic

Plastic parts such as edgings, fittings and post shelves meet the requirements in Table 3.

Table 3: Requirements plastic

Requirements	Complies
Plastic parts >50 grams are permanently marked according to ISO 11469	X
Free from PVC (polyvinyl chloride)	X
Free from plasticizers containing phthalates -DEHP Di (2-ethylhexyl) phthalate -DBP (dibutyl phthalate) -BBP (benzyl butyl phthalate)	X
The following flame retardants have not been actively added or their maximum content amounts to 0.1% by weight measured value.	X
Polybrominated biphenyls (PBBs)	CAS-nr: 59536-65-1
Decabromodiphenyl ether (dekaBDE)	CAS-nr: 1163-19-5
Pentabromodiphenylether (pentaBDE)	CAS-nr: 32534-81-9
Oktabromodiphenylether (oktaBDE)	CAS-nr: 32536-52-0
Tris (2,3-dibromopropyl) phosphate (TBPP)	CAS-nr: 126-72-7
Tris (1-aziridinyl) phosphine oxide (TEPA)	CAS-nr: 5455-55-1
Hexabromocyclododecane (HBCDD)	CAS-nr: 25637-99-4
Tris (2 chlorethyl) phosphate (TCEP)	CAS-nr: 115-96-8
No pigments containing lead, cadmium, tin, chromium VI or mercury have not been actively added or their content is max. 0.01% by weight measured value per part.	X



Adhesives

Adhesives that are used contain less than 10% VOC (vapor pressure > 0,01kPa*) and less than 0.2% free formaldehyde, see Table 4.

Table 4: Requirements adhesives

Requirements	Complies
Adhesives used in the manufacture of furniture or components for furniture may contain a maximum of 10% by weight VOC.	X
Adhesives used in the manufacture of furniture or components for furniture may contain a maximum of 0.2% by weight of free formaldehyde.	X

Surface treatment - white

Doors and fronts are UV-lacquered in white and meet the requirements stated in Tables 5 and 6. Safety data sheets are sent on request. Direct laminate products in beech, birch and oak are not surface treated.

Table 5: Requirements surface treatment

Requirements	Complies
The content of aromatic solvents / hydrocarbons in surface treatment products / preparations may not exceed 1.0% by weight.	X
Surface treatment with preparations containing VOC may have a maximum applied VOC component of 60 g / m ² for office / public / outdoor environment.	X

Table 6: Hazard class and hazard statement according to Regulation 790/2009.

Hazard category	Hazard statement according to regulation 790/2009	Complies
Acute toxicity	H300, H301, H310, H311, H330, H331	X
Toxic to body organs	H370, H371, H372, H373	X
Carcinogenic	H350, H351	X
Mutagenic	H340, H341	X
Toxic for reproduction	H360, H361	X
Allergenic	H334	X
Dangerous to the environment	H400, H410, H411, H412, H413 If the use of surface treatment products is required for technical reasons, products labelled as dangerous to the environment (H400, H410, H411, H412, H413) may be acceptable if the content of environmentally hazardous substance <14 g/per m ² of surface.	X

The production

Space is manufactured and assembled in Sweden. Environmental aspects related to production are presented in Table 7.

Table 7: The environmental aspects of production.

Environmental aspect

Environmentally classified materials / chemicals	Particularly hazardous chemicals, phasing out substances or priority risk reduction substances are not used. Handling and storage of all chemicals and substances are regulated so emissions to air, ground or water do not occur.
Surface coating	During the surface coating the production works actively to minimize the environmental impact through special handling and environmentally adapted colors and solvents. For example excess paint is collected and reused.
Emissions air	Emissions below the set license conditions. An air filter cleaner is installed that recycles tempered air which saves energy and reduces emissions to the outdoor environment.
Emissions water	Emissions below the set license conditions. Substances that are discharged into wastewater are environmentally friendly and contain no chemicals that the treatment plants cannot handle. Adhesives and varnishes that according to the safety data sheet are considered to pose a risk when released into water are collected in sealed containers and classified and treated as dangerous waste.
Waste	Residual material from particleboard is baled and collected for combustion in order to extract energy. TreCe is connected to the Packaging and Newspaper Collection (FTI). Waste is sorted according to the regulations that are based on the FTI and current legislation. Waste and residual products such as glue and oil residues are handled and collected separately.
Energy	In order to minimize energy consumption, heating is regulated based on working hours and which workstations are staffed. Investment in a compressor for a sustainable use of electricity resulted in an energy reduction of about 110,000 kWh/year.
Production optimization	The production process is optimized to save on materials, resulting in a reduced amount of waste, and to minimize energy consumption.
Energy per product	The energy consumption in electricity per product is 8.8 kWh.

The product

Environmental aspects linked to the product in addition to the materials are presented in Table 8.

Table 8: The products aspects.

Aspect

Packaging	Stretch film and corrugated board used to pack TreCe products are free of chlorine and bleach. The box is glued with wheat or cornstarch.
Reuse and restoration	One of our core values is Smart design. This means, among other things, that we look at design from a wider perspective. TreCe products are long lasting. Instead of replacing the whole piece of furniture, there is the option of replacing only a few parts. In this way, our products become sustainable in the long term - a benefit for both you as a user and for the environment.
Lifetime and warranty	TreCe provides a 5-year warranty on the entire range and spare parts are available for 10 years. The estimated usage life is from 5 years up to 30 years, depending on the area of use.
Recycling	Material recycling leads to a reduction in virgin material extraction and thus reduces carbon dioxide emissions. Hinges and fittings can be melted down and wood-based materials can be recycled for the production of new chipboard which is almost as high quality as virgin. The materials are submitted to recycling facilities, contact your municipality for more information. Space is designed so that the different materials can be separated without special tools. When dismantling, no environmentally hazardous emissions occur.

Social responsibility

We have ensured that this product is manufactured under good conditions, ie. with regard to social and ethical issues such as working conditions, human rights, labor, environment and corruption. We have sent these requirements to our suppliers and subcontractors, who have each certified that they are followed. A summary is shown in Table 9 and applies to the entire manufacture process of a product and it's components.

The minimum requirement for all suppliers is the UN guidelines on the "Code of Conduct" and Möbelfaktas' requirements for Social responsibility, which are formulated from the UN Global Compact with principles based on below;

- UN Universal Declaration of Human Rights.
- Rio Declaration on Environment and Development.
- International Labor Organization (ILO) eight core conventions on human and labor rights.
- UN Convention against Corruption.
- Work environment requirements based on ILO conventions on health and safety

Table 9: Requirements for social responsibility.

Requirements		Complies
Legislation	The furniture and its components must be manufactured in accordance with national legislation.	X
Human Rights	Producers, manufacturers and suppliers operations must comply with human rights.	X
Working conditions	Wages, child labor, conditions of employment, working hours, benefits, penalties, freedom of association, forced labor and discrimination.	X
Working environment	The company must constantly strive to improve the working environment and workplace safety for its employees.	X
Environment	Identify environmental impact, work actively with environmental issues and involve staff. Procedures for law compliance must be in place and followed up.	X
Anti-corruption	No form of extortion, corruption, bribery or favoritism to or from employees or organizations is tolerated.	X

Quality

This product has undergone extensive quality tests for safety and function, as well as surface resistance. The criteria and standards apply to the public environment, school environment and office environment and are shown in Tables 10 and 11. The tests were conducted by RISE, a Swedish government research institute that performs testing and certification.

Table 10: Approved user environments.

Product	Approved user environments.	Complies
Space-products with Möbelfakta label	Public environment	X
	School environment	X
	Office Environment	X

Table 11: Standards against which the product has been tested and approved.

Standard	Scope	Complies
SS-EN 14073-2:2004	Office furniture - Storage furniture - Part 2: Safety requirements	X
SS-EN 16121:2013 + A1:2018	Non-domestic storage furniture - Requirements for safety, strength, durability and stability	X
SS-EN 12720:2009 + A1:2013 SS 839117	Surface resistance Public environment / office	X