

CombiLine

Work station

Design | TreCe



Work station 80x6 doors/drawers, rear view (Art.nr.820204).



Work station 80x4 doors/drawers, rear view (Art. nr. 820201).

Flexible piece of furniture with great varieties and storage from both sides where one side has drawers that can withstand up to a 50 kg load with full extension and soft closing. Standing on a white powder coated sturdy steel frame, height 300 mm. Frame and fronts in white.

Stainless steel handles as standard, worktops in white* or anthracite**.

If you would like black or white handles, please note this on your order.

CombiLine Work station

Frame: 19 mm.

Front: 16 mm.

Leg stand: Height 300 mm.

NCS refers to product lacquered in one optional NCS color.

CombiLine Work station

Width 1680 mm, Height 1046 mm, Depth 1180 mm (2 + 2 pairs of doors)

Name	Material/color	Art nr
Work station 80x4, doors/doors	Frame + front white, work top F1040*	820310
Work station 80x4, doors/doors	Frame + front white, work top F2297**	820311
Work station 80x4, doors/doors	Frame + front white, work top F1040*, front any NCS	820312

Width 2480 mm, Height 1046 mm, Depth 1180 mm (3 + 3 pairs of doors)

Name	Material/color	Art nr
Work station 80x6, doors/doors	Frame + front white, work top F1040*	820313
Work station 80x6, doors/doors	Frame + front white, work top F2297**	820314
Work station 80x6, doors/doors	Frame + front white, work top F1040*, front any NCS	820315

Width 1680 mm, Height 1046 mm, Depth 1180 mm (2 pairs of doors + 4 drawers)

Name	Material/color	Art nr
Work station 80x4, doors/drawers	Frame + front white, work top F1040*	820200
Work station 80x4, doors/drawers	Frame + front white, work top F2297**	820201
Work station 80x4, doors/drawers	Frame + front white, work top F1040*, front any NCS	820202

Width 2480 mm, Height 1046 mm, Depth 1180 mm (3 pairs of doors + 6 drawers)

Name	Material/color	Art nr
Work station 80x6, doors/drawers	Frame + front white, work top F1040*	820203
Work station 80x6, doors/drawers	Frame + front white, work top F2297**	820204
Work station 80x6, doors/drawers	Frame + front white, work top F1040*, front any NCS	820205



Work station 80x6 doors/drawers, front view (Art.nr.820204).



Work station 80x4 doors/drawers, front view (Art. nr. 820201).

* High pressure laminate Formica F1040, white. ** High pressure laminate Formica F2297, anthracite.

CombiLine

MFC laminated and lacquered surfaces within CombiLine have a chip core, with the exception of some shelves. Back, frame, doors and edge strips have the same color/wood as other parts as standard, unless otherwise stated.

Frame

Thickness 19 mm, 0.8 mm straight ABS-lipping.

- MFC laminate white, beech, birch and oak.
- Lacquered available in any NCS-color.

Back

Thickness 12 mm, laminate inside and outside.

Plinth

Every module has its own front and back plinth with 4 adjustable feet (does not apply to recycling units with loading ramps).

Plinth height 157 mm. Can be replaced with;

- Bottom plate with adjustable stainless steel legs, height 157 mm.
- Bottom plate with lockable wheels, height 104 mm.

Doors

Thickness 16 mm, 2 mm straight ABS-lipping.

- White lacquered UV-treated MFC laminate (NCS S 0500-N), or MFC laminate in beech/birch/oak.
- Lacquered in any NCS color.
- Self closing concealed hinges with integrated soft closing (does not apply to products with aximat hinges with 180° opening).
- Single doors are right-hung as standard.

Drawer fronts

Thickness 16 mm, 2 mm straight ABS-lipping.

- White lacquered UV treated MFC laminate (NCS 0500-N) and MFC laminate in beech/birch/ oak.
- Lacquered available in any NCS-color.

Drawers

Drawers with depth 570 mm have soft closing.

- Extension 70%, max 30 kg.
- Extension 100%, max 35 kg (excl. recycling units).
- Extension 100%, max 50 kg.

Shelves

All shelves are adjustable and mounted with milled-in shelf support.

Drill division c/c 32 mm.

- 310 – 605 mm have a chip core.
- 800 – 900 mm have a pine lamellar core.

Recycling unit

MDL60/MD60/MDH60/MD65/MD70

The bottom plate is equipped with an access ramp in stainless steel.

- Doors with aximat hinges for 180 degree opening for easy access to recycling containers.

Mail shelves

Adjustable with pull-out function and mounting strip, subdivision c/c 96 mm.

- Mail shelves in acrylic have integrated name slots.
- Mail shelves in powder coated steel white or black are available as an addition.

Steel doors mail sorting

White powder coated steel. Shelves inside in the same material as frame, 19 mm.

- Including lock and 2 keys with individual lock number.
- Inlet 22 mm. Open door gives a free space of 90 mm.

Wall modules

White lacquered mounting strip in steel is included for all wall modules.

Lock types

Cabinets locks, padlock fittings, code locks and RFID-locks (EM & Mifare).

Fitting pieces /Cover panels

Available as accessories in the same color/material as frame. Width, height and depth adapted to your requirements.

Handles

Stainless steel bow handles as standard, if you would like black or white handles, please not on order.

- Standard handles c/c 128 mm.
- Grip handles 40 mm.

General info

Mounting

All modules are factory mounted Worktops/Cover panels/Top covers are mounted on site.

Warranty

We provide a 5 year factory warranty on CombiLine. Other products, contact TreCe.

Cabinet locks

Robust cabinet locks with master key system, individual nr. with 2 keys as standard. Identical locks available to addition.

Contact TreCe for customization of selected product.